

Toxic plants

Toxic plants reported in small animals include:

<i>Aloe vera</i>	Foxglove (<i>Digitalis purpurea</i>) *
<i>Amanita</i> mushrooms	Fruit salad plant (<i>Philodendron pertusum</i>)
<i>Amaryllis</i> sp.	Garlic (<i>Allium sativum</i>) *
Andromeda japonica (<i>Pieris japonica</i>)	Glacier ivy (<i>Hedera helix</i>)
Asian lily (<i>Lilium asiatica</i>)	Gladiolas (<i>Gladiolas</i> spp.)
Asparagus fern (<i>Asparagus sprengeri</i>)	Glory lily (<i>Gloriosa superba</i>)
Australian nut (<i>Macademia integrifolia</i>)	Gold dieffenbachia (<i>Diffenbachia picta</i>)
Autumn crocus (<i>Colchium</i> sp.)	Gold dust dracaena (<i>Dracaena godseffiana</i>)
Azalea (<i>Rhododendron</i> sp.)	Green gold nephthysis (<i>Syngonium podophyllum</i>)
Avocado (<i>Persea americana</i>) *	Heavenly bamboo (<i>Nandina domestica</i>)
Birds of Paradise (<i>Caesalpinia gilliesii</i>)	Holly (<i>Ilex</i> spp.)
Bittersweet, American (<i>Celastrus scandens</i>)	Hurricane plant (<i>Monstera deliciosa</i>)
Bittersweet, European (<i>Solanum dulcamara</i>)	Hyacinth (<i>Hyacinthus oreintalis</i>)
Black locust (<i>Robina pseudocacia</i>) *	Hydrangea (<i>Hydrangea macrophylla</i>)
Branching ivy (<i>Hedera helix</i>)	Iris (<i>Iris</i> sp.)
Buckeye (<i>Aesculus</i> spp.)	Japanese show lily (<i>Lilium</i> sp.)
Buddist pine (<i>Podocarpus macrophylla</i>)	Jerusalem cherry (<i>Solanum pseudocapsicum</i>)
<i>Caladiium hortolanum</i>	Kalanchoe species
Calla lily (<i>Zantedeschia aethiopica</i>)	Kalmia species
Castor bean (<i>Ricinus</i> sp.)	Lace fern (<i>Asparagus setaceus</i>)
Ceriman (<i>Monstera deliciosa</i>)	Lacy tree (<i>Philodendron selloum</i>)
Charming diffenbachia (<i>Diffenbachia amoena</i>)	Lilies (<i>Lillium</i> spp.)
Chinaberry tree (<i>Melia azedarach</i>)	Lily of the Valley (<i>Convallaria majalis</i>) *
Chinese evergreen (<i>Aglaonema modestrum</i>)	Macadamia nut (<i>Macademia integrifolia</i>)
Christmas rose (<i>Helleborus niger</i>)	Madagascar dragon tree (<i>Dracaena marginata</i>)
Clematis (<i>Montana rubens</i>) *	Marble queen (<i>Scindapsus aureus</i>)
Cordatum (<i>Philodendron oxycardium</i>)	Marijuana (<i>Cannabis sativa</i>)
Corn or cornstalk plant (<i>Dracaena fragrans</i>)	Mexican breadfruit (<i>Monstera deliciosa</i>)
Cutleaf philodendron (<i>Monstera deliciosa</i>)	Mistletoe (<i>Phoradendron</i> spp.)
Cycad, Sago, Zamia palms (<i>Cycad</i> spp.)	Morning glory (<i>Ipomoea</i> spp.)
<i>Cylamen</i> spp.	Mother-in-Law plant (<i>Monstera</i> sp.)
Daffodil (<i>Narcissus</i> spp.)	Narcissus (<i>Narcissus</i> spp.)
Day lily (<i>Hemorocallis dumotirei</i>)	Needlepoint ivy (<i>Hedera helix</i>)
Deadly nightshade (<i>Solanum</i> spp.)	Nephthytis (<i>Syngonium podopyllum</i>)
Devil's ivy (<i>Epipremnum aureum</i>)	Nightshade (<i>Solanum</i> spp.)
Dumb cane (<i>Dieffenbachia</i> sp.)	Oleander (<i>Nerium oleander</i>) *
Easter lily (<i>Lilium longiflorum</i>)	Onion (<i>Allium</i> spp.)
Elephant ears (<i>Caladium hortulanum</i>)	Orange day lily (<i>Hemorocallis graminea</i>)
Emerald feather or fern (<i>Asparagus densiflorus</i>)	Panda (<i>Philodendron panduraeformae</i>)
English ivy (<i>Hedera helix</i>)	Peace lily (<i>Spathiphyllum</i> spp.)
Flamingo plant (<i>Anthurium</i> sp.)	Plumosa fern (<i>Asparagus plumosus</i>)
Florida beauty (<i>Dracaena</i> spp.)	Poinsettia (<i>Euphorbia pulcherima</i>) *

Pothos (<i>Epipremnum</i> sp.)	Straight-margined dracaena (<i>Dracaena marginata</i>)
Precatory bean (<i>Abrus precatorius</i>)	Striped dracaena (<i>Dracaena deremensis</i>)
Queensland nut (<i>Macadamia integrifolia</i>)	Sweetheart ivy (<i>Hedera helix</i>)
Red emerald (<i>Philodendron</i>)	Swiss cheese plant (<i>Monstera deliciosa</i>)
Red-margined dracaena (<i>Dracaena marginata</i>)	Taro vine (<i>Scindapsus aureus</i>)
Red princess (<i>Philodendron</i>)	Tiger lily (<i>Lilium tigrinum</i>)
Rhododendron *	Tomato plant (<i>Lycopersicon</i> spp.) green parts only
Ribbon plant (<i>Dracaena sanderiana</i>)	Tropic snow dumbcane (<i>Dieffenbachia amoena</i>)
Rhubarb (<i>Rheum</i> spp.)	Tulip (<i>Tulip</i> sp.)
Rubrum lily (<i>Lilium</i> spp.)	Variable dieffenbachia (<i>Dieffenbachia picta</i>)
Saddle leaf philodendron (<i>Philodendron selloum</i>)	Virgina creeper (<i>Parthenocissus quinquefolia</i>) *
Sago palm (<i>Cycas</i> , <i>Zamia</i> spp.)	Warnecke dracaena (<i>Dracaena deremensis</i>)
Schefflera (<i>Schefflera</i> / <i>Brassalia actinophylla</i>)	Yew; Japanese, American, English & Western (<i>Taxus</i> spp.) *
Spotted dumb cane (<i>Dieffenbachia picta</i>)	Yucca
Stargazer lily (<i>Lilium orientalis</i>)	

* Toxic plants specifically reported in birds.

** Large amount ingested

Anecdotal, unsubstantiated reports of gastrointestinal upset secondary to ingestion of persimmon (*Diospyros virginiana*) have also been reported.

References

Animal Poison Control Center. Toxic plants.

http://www.aspc.org/site/PageServer?pagename=pro_apcc_toxicplants. Accessed Dec 9, 2007.

Cornell University. Poisonous plants informational database. <http://www.ansci.cornell.edu/cgi-bin/db2www/plants.d2w/report1?ispecies=poultry>. Accessed Dec 9, 2007.

Clipsham R. Sweet but deadly: How toxic is that persimmon you're feeding your bird? Bird Talk Oct. 1998.

Hargis AM, Stauber E, Casteel S, Eitner D. Avocado (*Persea americana*) intoxication in caged birds. J Am Vet Med Assoc 194 (1): 64-66, 1989.

LaBonde J. Toxicity in pet avian patients. Seminars in Avian and Exotic Pet Medicine 4(1): 23-31, 1995.

Richardson JA. Implications of toxic substances in clinical disorders. In: Harrison GJ, Lightfoot TL (eds). *Clinical Avian Medicine*. Spix Publishing, Inc; Palm Beach, FL. pp. 711-719, 2006.

Wade LL, Newman SJ. Hemoglobinuric nephrosis and hepatosplenic erythrophagocytosis in a Dusky-headed conure (*Aratinga weddelli*) after ingestion of garlic (*Allium sativum*). J Avian Med Surg 18(3):155-161, 2004.

Written December 9, 2007.